


State of New Hampshire Department of Revenue Administration

109 Pleasant Street
PO Box 487, Concord, NH 03302-0487
Telephone (603) 230-5000
www.revenue.nh.gov



Samuel T. Greene Assistant Director

March 4, 2020

Town of Holderness ATTN: Board of Selectmen PO Box 203 Holderness, NH 03245

RE: 2018 Assessment Review

Honorable Members of the Board of Selectmen:

The New Hampshire Department of Revenue Administration has completed its review of the Town of Holderness's assessments required by RSA 21-J: 11-a. The Department has considered the degree to which assessments in Holderness achieved substantial compliance with applicable statutes and rules. The Department considered compliance with the six assessment areas specifically identified in RSA 21-J: 11-a, and RSA 21-J: 14-b I. (c).

They are:

- A. Level of assessments and uniformity of assessments are within acceptable ranges as recommended by the Assessing Standards Board (ASB) by considering, where appropriate, an assessment-to-sales-ratio study conducted by the Department for the municipality;
- B. Assessment practices substantially comply with applicable statutes and rules;
- C. Exemption and credit procedures substantially comply with applicable statutes and rules;
- D. Assessments are based on reasonably accurate data;
- E. Assessments of various types of properties are reasonably proportional to other types of properties within the municipality; and,
- F. For all revaluations including full revaluations, partial revaluations, cyclical revaluations and statistical updates conducted on or after the April 1, 2006 assessment year, either by an independent contractor or an in-house assessor, a report based on the most recent edition of the Uniform Standards of Professional Appraisal Practice (USPAP) shall be produced.

In accordance with RSA 21-J: 11-a, II, the Department shall report its findings to the ASB and the municipality. This letter constitutes our report.

After completing its review, the Department has determined that the Town of Holderness is not in substantial compliance with applicable assessing statutes and rules as identified in RSA 21-J: 11-a, I and RSA 21-J: 14-b, I(c) because it has not met one or more of the standards adopted by the ASB pursuant to N.H. Administrative Rule ASB 102.02. See Standards for Monitoring of Local Assessing Practices by the Department of Revenue Administration Adopted by the Assessing Standards Board May 11, 2018 (the ASB Standards).

The ASB standards not met include:

ASB III, B. 4. a-c. Current Use. Some of the files sampled had A-10 applications not recorded. A few samples had maps that were incorrect or not updated due to changes. One sample had no recreation discount applied as requested on the application.

ASB III, C. 1. b. Exemptions. Three files sampled did not have the PA-33 form on file for properties in a trust, as required by statute.

Attached please find the Department's worksheets indicating areas that should be addressed.

Prior to the release of this report to the ASB you have an opportunity to respond to the findings in this report. Please let us know within 30 days if you have a response to this letter.

We would like to thank you and the staff members who assisted the Department for working with us in an understanding and cooperative manner.

Your next Assessment Review is scheduled for 2023. Should you be interested in changing your Assessment Review year, such a request may be approved so long as the time between reviews does not exceed five years.

If you have any questions, feel free to contact me.

Sincerely,

James Gerry, Director

Municipal and Property Division

cc: Assessing Standards Board File



APPLICATION OF CURRENT USE COVER SHEET as of APRIL 1, 2018

	ASB III, B. 4. a-c			
Name of Municipality:	Holderness		·	
		B4a	B4b	B4c
Total Sample Size			31	
Samples with Errors		10	0	0
Samples without Errors		21	31	31
Percent of Samples without Errors	s (Minimum 85%)	67.74%	100.00%	100.00%
			٠	
4				
Municipality	of Holderness in the category of Appli	ication of CUI	RRENT USE:	
		B4a	B4b	B4c
	Met Standard		. X	Х
	Did Not Meet Standard	X		
Comments:				
DRA Appraiser Signature:	Adam Denoncour		Date:	2/7/2019
DRA Supervisor Initials:	CP		Date:	2/26/207

Current Use Cover Sheet Revised April 2015



CURRENT USE WORKSHEET as of APRIL 1, 2018

ASB III, B. 4. a-c

Name of Municipality:	Holderness	Date of Review:	2/7/2019

Current Use RSA 79-A

			а			b	С	
<u>Sample</u> <u>Number</u>	Parcel ID:	(i) Original current use A-10 Application for Assessment, timely filed, and recorded or equivalent documentation	(ii) Recreational discount being correctly applied	iii) Site Map outling current use categories and land not in current use	(iv) The Equalization Ratio is being correctly applied	Appropriate Stewardship documentation being correctly applied (current stewarship plan)	All municipality's current use assessments comply with CUB 304 value ranges (Marlow)	Met/Not Met
1 00020200	0000100000001	Yes	Yes	Yes	Yes	N/A	Yes	Met Standard
2 00020500	000900000001	Yes	Yes	Yes ·	Yes	N/A	Yes	Met Standard
3 00020500	.001200000001	Yes	Yes .	Yes	Yes .	N/A	Yes	Met Standard
4 00020600	000200000001	Yes	Yes	Yes	Yes	N/A	Yes	Met Standard
5 00020900	000400000001	Yes	Yes	Yes	Yes	Yes	Yes	Met Standard
6 00021000	001800000001	Yes	Yes	Yes	Yes	N/A	Yes	Met Standard
7 00021700	001500000001	Yes	Yes	Yes	Yes	N/A	Yes	Met Standard
8 00021900	000700000001	No .	Yes	Yes	Yes	N/A	Yes	Did Not Meet Standard
9 00022000	0005000 <u>0</u> 0001	No	Yes	Yes	Yes	N/A	Yes	Did Not Meet Standard
10 000220000	001000000001	Yes	Yes	Yes	Yes	N/A	Yes	Met Standard



CURRENT USE WORKSHEET as of APRIL 1, 2018

ASB III, B. 4. a-c

Name of Municipality:	Holderness	Date of Review:	2/7/2019

Current Use RSA 79-A

1				а			b	С	
	Sample Number	Parcel ID:	(i) Original current use A-10 Application for Assessment, timely filed, and recorded or equivalent documentation	(ii) Recreational discount being correctly applied	iii) Site Map outling current use categories and land not in current use	(iv) The Equalization Ratio is being correctly applied	Appropriate Stewardship documentation being correctly applied (current stewarship plan)	All municipality's current use assessments comply with CUB 304 value ranges (Marlow)	Met/Not Met
_	11 00022000	00019000000001	Yes	Yes	Yes	Yes	N/A	. Yes	Met Standard
	12 00022100	0000700000001	No .	Yes	Yes	Yes	N/A	Yes	Did Not Meet Standard
	13 00022200	0001800000001	Yes	Yes	Yes	Yes	N/A	Yes	Met Standard
	14 00022400	0008900000001	Yes	Yes	Yes	Yes	N/A	Yes	Met Standard
	15 00022700	0003200000001	Yes	Yes	No	Yes	N/A	Yes	Did Not Meet Standard
	16 00022900	00015000000001	Ńo	Yes	Yes	Yes	N/A	Yes	Did Not Meet Standard
	17 00023100	0001200000001	Yes	Yes	No	Yes	N/A	Yes	Did Not Meet Standard
	18 00023100	0002400000001	No	Yes	Yes	Yes	N/A	Yes	Did Not Meet Standard
	19 00023200	0001700000001	Yes	Yes	Yes	Yes	N/A	Yes	Met Standard
	20 00023800	00004000000001	Yes	Yes	Yes	Yes	N/A	Yes	Met Standard



CURRENT USE WORKSHEET as of APRIL 1, 2018

ASB III, B. 4. a-c

	Name of Municipality:	Holderness	Date of Review:	2/7/2019	
--	-----------------------	------------	-----------------	----------	--

Current Use RSA 79-A

				а			b	С		
	<u>Sample</u> Number	Parcel ID:	(i) Original current use A-10 Application for Assessment, timely filed, and recorded or equivalent documentation	(ii) Recreational discount being correctly applied	iii) Site Map outling current use categories and land not in current use	(iv) The Equalization Ratio is being correctly applied	Appropriate Stewardship documentation being correctly applied (current stewarship plan)	All municipality's current use assessments comply with CUB 304 value ranges (Marlow)	Met/Not Met	
•	21 00023900	00046000000001	Yes	Yes	Yes	Yes	N/A	Yes	Met Standard	
	22 00024500	0002800000001	Yes	Yes	Yes	Yes	N/A	Yes	Met Standard	
	23 00024500	0002900000001	Yes	Yes	No	Yes	N/A	Yes	Did Not Meet Standard	
	24 00024600	002500000001	No	Yes	Yes	Yes	N/A	Yes	Did Not Meet Standard	
	25 00024700	001500000001	Yes	. Yes	Yes	Yes	N/A	Yes	Met Standard	
	26 00025000	000200000001	Yes	Yes	Yes	Yes	N/A	Yes	Met Standard	
	27 00025000	000600000001	Yes	No	Yes	Yes	N/A	Yes	Did Not Meet Standard	
	28 00025000	001400000001	Yes	Yes	Yes	Yes	N/A	Yes	Met Standard	
	29 00025000	002200000001	Yes	Yes	Yes	Yes	N/A	Yes	Met Standard	
	30 00025100	000400000001	Yes	Yes	Yes	Yes	N/A	Yes	Met Standard	



CURRENT USE WORKSHEET as of APRIL 1, 2018

ASB III, B. 4. a-c

Name of Municipality:	Holderness	Date of Review:	2/7/2019
~			

Current Use RSA 79-A

		а			b	С	
Sample Number Parcel ID:	(i) Original current use A-10 Application for Assessment, timely filed, and recorded or equivalent documentation	(ii) Recreational discount being correctly applied	iii) Site Map outling current use categories and land not in current use	1	stewarship	All municipality's current use assessments comply with CUB 304 value ranges (Marlow)	Met/Not Met

31 00025100001000000001

Yes

Yes

Yes

Yes

N/A

Yes

Met Standard

Comments:

Sample #'s 8, 9,12, 16, 18, and 24, applications not recorded. Sample #15 map not updated - NICU area and acreage is off. Sample #17 map doesn't show catergories. Sample #23 assessment categories don't match application and map. Sample #27, no Recreation discount given as requested on application.

DRA Appraiser Signature:	Adam Denoncour	Date:	5/8/2019
DRA Supervisor Initials:	45	Date:	2/28/2010



EXEMPTIONS COVER SHEET APRIL 1, 2018

ASB III, C. 1. b

Name of Municipality:	Holderness	
Total Parcels Sampled		19
Unacceptable Samples		3
Acceptable Samples		16
Percent of Acceptable Sample	es (Minimum 95%)	84.2%
Municip	pality of Holderness in the category of EXEMPTIO	NS:
	Met Standard Did Not Meet Standard	X
Comments:		
DRA Appraiser Signature: DRA Supervisor Initials:	Adam Denoncour	Date: 2 28/2020 Date: 2 28/2020

Exemptions Cover Sheet Revised April 2015



EXEMPTIONS WORKSHEET as of APRIL 1, 2018

ASB III, C. 1.b

Name of Municipality: Holder			SS			Date o	f Review:	1/31/2	019
Sam Num		Exemption Type:	Application Completed, timely filed, and signed by the applicant (April 15)	Application Approved and signed by the Assessing officals or designee	Proper Documentation supplied? (Elderly, Disabled, Blind, Deaf)	If Applicant is listed under a trust, is a PA-33 Form filed	Is applicant receiving the proper amount of exemption?	Reviewed within past five years? Yes/No	Met/Not Met
1	000205 000005 000000	Solar Energy	Yes	Yes	Yes	N/A	Yes	2008	Met Standard
2	000210 000003 000031	Elderly	Yes	Yes	Yes	N/A	Yes	2017	Met Standard
3	000210 000003 000033	Elderly	Yes	Yes	Yes	N/A	Yes	2017	Met Standard
4	000210 000003 000038	Elderly	Yes	Yes	Yes	· N/A	Yes	2017	Met Standard
5	000210 000003 00003A	Blind	Yes	Yes	Yes	N/A	Yes	2007	Met Standard
6	000212 000002 000000	Solar Energy	Yes	Yes	Yes	N/A	Yes	2016	Met Standard
. 7	000212 000003 000000	Solar Energy	Yes	Yes	Yes	N/A	Yes	2016	Met Standard
8	000213 000013 000000	Solar Energy	Yes	Yes	Yes	N/A	Yes	2008	Met Standard
9	000222 000012 000000	Solar Energy	Yes	Yes	Yes	N/A	Yes	2014	Met Standard
10	000222 000018 000000	Solar Energy	Yes	Yes	Yes	No	Yes	2014	Did Not Meet Standard
11	000224 000025 000000	Solar Energy	Yes	Yes	Yes	N/A	Yes	2010	Met Standard



EXEMPTIONS WORKSHEET as of APRIL 1, 2018

ASB III, C. 1.b

Name of Municipality:		Holderness			Date of Review:			1/31/2019		
Sam Num	Tarcerio.	Exemption Type:	Application Completed, timely filed, and signed by the applicant (April 15)	Application Approved and signed by the Assessing officals or designee	Proper Documentation supplied? (Elderly, Disabled, Blind, Deaf)	If Applicant is listed under a trust, is a PA-33 Form filed	Is applicant receiving the proper amount of exemption?	Reviewed within past five years? Yes/No	Met/Not Met	
12	000231 000011 000000	Solar Energy	Yes	Yes	Yes	N/A	Yes	2017	Met Standard	
13	000235 000017 000000	Solar Energy	Yes	Yes	Yes	N/A	Yes	2008	Met Standard	
14	000236 000049 000000	Solar Energy	Yes	Yes	Yes	No	Yes	2014	Did Not Meet Standard	
15	000237 000012 000000	Solar Energy	Yes .	Yes	Yes	N/A	Yes .	2008	Met Standard	
16	000238 000014 000000	Solar Energy	Yes	Yes	Yes	N/A	Yes	2017	Met Standard	
17	000246 000030 000000	Solar Energy	Yes	Yes	Yes	N/A	Yes	2008	Met Standard	
18	000251 000011 000000	Solar Energy	Yes	Yes	Yes	N/A	Yes	2009	Met Standard	
19	246-19 _,	Solar Energy	Yes	Yes	Yes	No	Yes	2018	Did Not Meet Standard	
Comments:										
Sample #10, 14, and 19, no PA-33's on file for properties in a trust.										
DRA Supervisor Initials:			Adam Denoncour					Date: 5/8/2019		
DRA Supervisor Initials: Date: \(\frac{128}{202} \)										